

# according to UK REACH Regulation

## Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Boc-L-Sec(Mob)-OH

## Further trade names

N-alpha-t-Butyloxycarbonyl-Se-(4-methoxybenzyl)-L-selenocysteine Boc-Sec(PMB)-OH, Boc-Sec(pMeOBzl)-OH (R)-2-(t-butoxycarbonylamino)-3-(4-methoxybenzylselanyl)propanoic acid (R)-2-((tert-butoxycarbonyl)amino)-3-((4-methoxybenzyl)selanyl)propanoic acid CAS No: 959415-39-5

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture Laboratory chemical.

Scientific research and development

### Uses advised against

Do not use for private purposes (household). Restrictions on use: Pharmaceutical substance

## 1.3. Details of the supplier of the safety data sheet

Company name:	Iris Biotech GmbH	
Street:	Adalbert-Zoellner-Straße 1	
Place:	D-95615 Marktredwitz, Germany	
Post-office box:	568	
	D-95605 Marktredwitz, Germany	
Telephone:	+49 9231 97121 0	Telefax: +49 9231 97121 99
e-mail:	info@iris-biotech.de	
Contact person:	Compliance Department	Telephone: +49 9231 97121 0
e-mail:	sds@iris-biotech.de	
Internet:	www.iris-biotech.de	
Responsible Department:	Only available during office hours.	
1.4. Emergency telephone	+49 (0)89 19240 (POISON CENTER	R Munich: 24 h)

## number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Acute Tox. 3; H331 Acute Tox. 3; H301 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## **GB CLP Regulation**

Signal word:

Danger





# according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 2 of 11

## Hazard statements

H301+H331	Toxic if swallowed or if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

## Precautionary statements

i couulionary staten	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311	Call a POISON CENTER/doctor.
P314	Get medical advice/attention if you feel unwell.
P391	Collect spillage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved disposal site.

## Additional advice on labelling

Warning - substance not yet tested completely.

## Labelling of packages where the contents do not exceed 125 ml

Signal word: Pictograms:



# Hazard statements

H301+H331

## **Precautionary statements**

P264-P270-P301+P310-P304+P340-P311-P403+P233-P501

### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## **Chemical characterization**

(R)-2-((tert-butoxycarbonyl)amino)-3-((4-methoxybenzyl)selanyl)propanoic acid

Sum formula:	C16H23NO5Se	
Molecular weight:	388,33 g/mol	

## Hazardous components

CAS No	Chemical name		Quantity		
	EC No	Index No		REACH No	
	Classification (GB CLP Regulation)				
959415-39-5	N-alpha-t-Butyloxycarbonyl-Se-(4-methoxybenzyl)-L-selenocysteine		<= 100 %		
Acute Tox. 3, Acute Tox. 3, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H331 H301 H373 H400 H410					

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 3 of 11

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
959415-39-5		N-alpha-t-Butyloxycarbonyl-Se-(4-methoxybenzyl)-L-selenocysteine	<= 100 % %	
	inhalation: ATE = 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: ATE = 100 mg/kg			

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary. After contact with skin, wash immediately with plenty of water and soap. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

### After ingestion

Induce vomiting when the affected person is not unconscious. Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO2). Sand.

## Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx). Selenium/Selenium oxides.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 4 of 11

## Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Usual measures for fire prevention.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

### General advice

Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin, eyes and clothes.

Wear personal protection equipment.

In case of fire: Evacuate area.

For non-emergency personnel

Take up carefully when dry.

## For emergency responders

Take up mechanically, placing in appropriate containers for disposal. Take up dust-free and set down dust-free.

## 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Avoid dust formation.

### For cleaning up

Take up mechanically.

### Other information

Take up mechanically, placing in appropriate containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Avoid dust formation.

Clear contaminated areas thoroughly.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust. Provide adequate ventilation.

Avoid dust formation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or



according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 5 of 11

drink. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. When using do not eat, drink or smoke. Wash hands before breaks and after work.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep container tightly closed in a cool, well-ventilated place.

Handle and store contents under inert gas. Protect from moisture.

storage temperature: +2°C - +8°C

## Hints on joint storage

No special measures are necessary.

### 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Additional advice on limit values

To date, no national critical limit values exist.

#### 8.2. Exposure controls



### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection.

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

#### Skin protection

Wear suitable protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 6 of 11

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Thermal hazards

No data available

### **Environmental exposure controls**

Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

<u>9</u> .	1. Information on basic physical and chei		
	Physical state:	solid	
	Colour:	white/ whitish	
	Odour:	No data available	
	Odour threshold:	not determined	
	Melting point/freezing point:		not determined
	Boiling point or initial boiling point and		not determined
	boiling range:		
	Flammability:		not determined
	Lower explosion limits:		not determined
	Upper explosion limits:		not determined
	Flash point:		No data available
	Auto-ignition temperature:		not determined
	Decomposition temperature:		not determined
	pH-Value:		not determined
	Viscosity / kinematic:		not applicable
	Water solubility:		No data available
	Solubility in other solvents		
	not determined		
	Dissolution rate:		not determined
	Partition coefficient n-octanol/water:		not determined
	Dispersion stability:		No data available
	Vapour pressure:		not determined
	Density:		not determined
	Relative density:		not determined
	Bulk density:		not determined
	Relative vapour density:		not determined
	Particle characteristics:		No data available
<u>9.</u>	2. Other information		
	Information with regard to physical haza	ard classes	
	Explosive properties		
	No data available		
	Sustaining combustion:		No data available
	Self-ignition temperature		
	Solid:		not determined
	Gas:		not applicable
	Oxidizing properties		
	No data available		
	Other safety characteristics		
	Evaporation rate:		not determined



according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 7 of 11

Solvent content:No data availableSolid content:not determinedSublimation point:not determinedSoftening point:not determinedViscosity / dynamic:not applicableFlow time:not applicable

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

# 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

No data available

#### 10.4. Conditions to avoid

Protect from moisture.

Keep away from heat.

# 10.5. Incompatible materials

Oxidizing agents, strong.

## 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx). Selenium/Selenium oxides.

### **Further information**

In case of fire: See chapter 5.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No data available

## Acute toxicity

Toxic if swallowed.

Toxic if inhaled.

# CAS No Chemical name

OAO NO	Unonlinear hanne					
	Exposure route	Dose		Species	Source	Method
959415-39-5	N-alpha-t-Butyloxycarbonyl-Se-(4-methoxybenzyl)-L-selenocysteine					
	oral	ATE mg/kg	100			
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction



according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 8 of 11

Based on available data, the classification criteria are not met.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (N-alpha-t-Butyloxycarbonyl-Se-(4-methoxybenzyl)-L-selenocysteine)

### Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

#### Practical experience No data available

### 11.2. Information on other hazards

### Endocrine disrupting properties

No data available

## **Further information**

RTECS: No data available

Caution! To the best of our knowledge the toxicological properties of this material have not been thoroughly investigated. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

## 12.2. Persistence and degradability

No data available

## 12.3. Bioaccumulative potential

No data available

## 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

Warning - substance not yet tested completely.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.



# according to UK REACH Regulation

## Boc-L-Sec(Mob)-OH

Revision date: 13.04.2023

Product code: BAA3760

Page 9 of 11

Handle contaminated packages in the same way as the substance itself.

# Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

Land transport (ADR/RID) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u>	UN 3283 SELENIUM COMPOUND, SOLID, N.O.S. ((R)-2-
	((tert-butoxycarbonyl)amino)-3-((4-methoxybenzyl)selanyl)propanoic
<u>14.3. Transport hazard class(es):</u>	acid) 6.1
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	0.1 
Hazard label:	6.1
Classification code:	т5
Special Provisions:	274 563
Limited quantity:	500 g
Excepted quantity:	E4
Transport category:	2
Hazard No:	60
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 3283
14.2. UN proper shipping name:	SELENIUM COMPOUND, SOLID, N.O.S. ((R)-2-
	((tert-butoxycarbonyl)amino)-3-((4-methoxybenzyl)selanyl)propanoic acid)
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	
Hazard label:	6.1
	× .
	6
Classification code:	Т5
Special Provisions:	274 563 802
Limited quantity:	500 g
Excepted quantity:	E4
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	UN 3283
14.2. UN proper shipping name:	SELENIUM COMPOUND, SOLID, N.O.S. ((R)-2-
	((tert-butoxycarbonyl)amino)-3-((4-methoxybenzyl)selanyl)propanoic
44.2 Transport becaud along (ap)	acid) 6.1
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	0.1 II
Hazard label:	6.1
	6
Special Provisions:	274



# according to UK REACH Regulation

evision date: 13.04.2023	Boc-L-Sec(Mob)-OH Product code: BAA3760	Page 10 o
Limited quantity:	500 g	
Excepted quantity:	E4	
EmS:	F-A, S-A	
ir transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 3283	
14.2. UN proper shipping name:	SELENIUM COMPOUND, SOLID, N.O.S. ((R)-2-	
	((tert-butoxycarbonyl)amino)-3-((4-methoxybenzyl)selanyl)propanoic	
	acid)	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:		
Hazard label:	6.1	
	6	
Special Provisions:	A3 A5	
Limited quantity Passenger:	1 kg	
Passenger LQ:	Y644 E4	
Excepted quantity: IATA-packing instructions - Passenger:	E4 669	
IATA-packing instructions - r assenger: IATA-max. quantity - Passenger:	25 kg	
IATA-packing instructions - Cargo:	676	
IATA-max. quantity - Cargo:	100 kg	
4.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	Yes	
Danger releasing substance:	(R)-2-((tert-butoxycarbonyl)amino)-3- ((4-methoxybenzyl)selanyl)propanoic acid	
4.6. Special precautions for user		
No information available.		
4.7. Maritime transport in bulk according	to IMO instruments	
not applicable		
ECTION 15: Regulatory information		
5.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Information according to 2012/18/EU	H2 ACUTE TOXIC	
(SEVESO III):		
Additional information:	E1	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the	
	'juvenile work protection guideline' (94/33/EC). Observe employment	
	restrictions under the Maternity Protection Directive (92/85/EEC) for	
	expectant or nursing mothers.	
	3 - highly hazardous to water	
Water hazard class (D):		
5.2. Chemical safety assessment	assessment has not been carried out.	



Revision date: 13.04.2023

# **Safety Data Sheet**

## according to UK REACH Regulation

# Boc-L-Sec(Mob)-OH

Product code: BAA3760

Page 11 of 11

## Changes

This data sheet contains changes from the previous version in section(s): 1,2.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

## Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H301+H331	Toxic if swallowed or if inhaled.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.