

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Fullerene C60

**Further trade names**Buckminsterfullerene C60  
(C60-Ih)[5,6]fullerene

Substance name:	Fullerene C60
CAS No:	99685-96-8
EC No:	628-630-7

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**Scientific research and development  
Use as laboratory reagent.**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	Iris Biotech GmbH	
Street:	Adalbert-Zoellner-Straße 1	
Place:	D-95615 Marktredwitz, Germany	
Post-office box:	568	
	D-95605 Marktredwitz, Germany	
Telephone:	+49 9231 97121 0	Telefax: +49 9231 97121 99
e-mail:	info@iris-biotech.de	
Contact person:	Compliance Department	Telephone: +49 9231 97121 0
e-mail:	sds@iris-biotech.de	
Internet:	www.iris-biotech.de	
Responsible Department:	Only available during office hours.	

**1.4. Emergency telephone number:** +49 (0)89 19240 (POISON CENTER Munich: 24 h)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****GB CLP Regulation**Hazard categories:  
Serious eye damage/eye irritation: Eye Irrit. 2  
Specific target organ toxicity - single exposure: STOT SE 3  
Hazard Statements:  
Causes serious eye irritation.  
May cause respiratory irritation.**2.2. Label elements****GB CLP Regulation****Signal word:** Warning**Pictograms:**

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 2 of 9

**Hazard statements**

H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264 Wash hands thoroughly after handling.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P405 Store locked up.  
 P501 Dispose of contents/container to an approved disposal site.

**Additional advice on labelling**

Warning - substance not yet tested completely.

**2.3. Other hazards**

Product is not dust explosive in its original delivery form. The addition of particulate matter, however, results in a dust explosion risk.

**SECTION 3: Composition/information on ingredients**
**3.1. Substances**
**Chemical characterization**

Buckminsterfullerene C60

Sum formula: C60  
 Molecular weight: 720,66 g/mol

**Hazardous components**

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	GHS Classification	
99685-96-8	Fullerene C60	<= 100 %
	628-630-7	
	Eye Irrit. 2, STOT SE 3; H319 H335	

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

**After inhalation**

Medical treatment necessary. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.  
 In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with skin**

Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 3 of 9

advice/attention. After contact with skin, wash immediately with plenty of water and soap.  
In all cases of doubt, or when symptoms persist, seek medical advice.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

In all cases of doubt, or when symptoms persist, seek medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. alcohol resistant foam. Dry extinguishing powder.

Sand.

**Unsuitable extinguishing media**

High power water jet.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water. Usual measures for fire prevention.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General measures**

Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation.

In case of fire: Evacuate area.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**6.3. Methods and material for containment and cleaning up****Other information**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically, placing in appropriate containers for disposal. Avoid dust formation.

Clear contaminated areas thoroughly.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 4 of 9

Treat the recovered material as prescribed in the section on waste disposal.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust. Provide adequate ventilation.  
Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.  
Provide adequate ventilation as well as local exhaustion at critical locations. Keep container tightly closed in a cool, well-ventilated place.  
Handle and store contents under inert gas. Protect from moisture.

**Hints on joint storage**

No special measures are necessary.

**7.3. Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

**8.2. Exposure controls****Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection: goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

**Skin protection**

Use of protective clothing.

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 5 of 9

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

**Environmental exposure controls**

Discharge into the environment must be avoided.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	solid/ Powder
Colour:	brown/ dark grey
Odour:	No data available
Odour threshold:	not determined

**Changes in the physical state**

Melting point/freezing point:	> 280 °C
Boiling point or initial boiling point and boiling range:	not determined
Sublimation point:	not determined
Softening point:	not determined
Flash point:	> 94 °C

**Flammability**

Solid/liquid:	not determined
Gas:	not applicable

**Explosive properties**

No data available

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined

**Self-ignition temperature**

Solid:	not determined
Gas:	not applicable

Decomposition temperature:	not determined
----------------------------	----------------

**Oxidizing properties**

No data available

pH-Value:	not determined
Water solubility:	not determined

**Solubility in other solvents**

Soluble in: Toluene, oil, o-DCB

Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	not determined
Relative vapour density:	not determined

**9.2. Other information****Information with regard to physical hazard classes**

Sustaining combustion:	No data available
------------------------	-------------------

**Other safety characteristics**

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 6 of 9

Solvent content:	No data available
Solid content:	not determined
Evaporation rate:	not determined

**Further Information****SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

Hazardous polymerisation: Polymerization will not occur.

**10.4. Conditions to avoid**Protect from moisture.  
Keep away from heat.**10.5. Incompatible materials**

Oxidizing agents, strong.

**10.6. Hazardous decomposition products**Thermal decomposition can lead to the escape of irritating gases and vapours.  
In case of fire may be liberated: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).**Further information**

In case of fire: See chapter 5.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Toxicocinetics, metabolism and distribution**

No data available

**Acute toxicity**

Based on available data, the classification criteria are not met.

**Irritation and corrosivity**Causes serious eye irritation.  
Skin corrosion/irritation: Based on available data, the classification criteria are not met.**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**Based on available data, the classification criteria are not met.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.**STOT-single exposure**

May cause respiratory irritation. (Fullerene C60)

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 7 of 9

**Additional information on tests**

Classification according to Regulation (EC) No 1272/2008 [CLP]: health hazard properties

**Practical experience**

No data available

**Further information**

RTECS: No data available

Caution! To the best of our knowledge the toxicological properties of this material have not been thoroughly investigated.

Handle in accordance with good industrial hygiene and safety practice.

**SECTION 12: Ecological information****12.1. Toxicity**

No data available

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

**12.7. Other adverse effects**

Warning - substance not yet tested completely.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

Handle contaminated packages in the same way as the substance itself.

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.2. UN proper shipping name:**

No dangerous good in sense of these transport regulations.

**Inland waterways transport (ADN)****14.2. UN proper shipping name:**

No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)****14.2. UN proper shipping name:**

No dangerous good in sense of these transport regulations.

**Air transport (ICAO-TI/IATA-DGR)****14.2. UN proper shipping name:**

No dangerous good in sense of these transport regulations.

**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 8 of 9

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

No information available.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
CAS: Chemical Abstracts Service  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative



**Safety Data Sheet**

according to UK REACH Regulation

**Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 9 of 9

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

**Relevant H and EUH statements (number and full text)**

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.