

## **Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

CAS No:

EC No:

Fullerene C60

### Further trade names

Buckminsterfullerene C60 (C60-lh)[5,6]fullerene Substance name:

Fullerene C60 99685-96-8 628-630-7

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Scientific research and development Use as laboratory reagent.

## Uses advised against

Do not use for private purposes (household).

### 1.3. Details of the supplier of the safety data sheet

Company name:	Iris Biotech GmbH	
Street:	Adalbert-Zoellner-Straße 1	
Place:	D-95615 Marktredwitz, Germany	
Post-office box:	568	
	D-95605 Marktredwitz, Germany	
Telephone:	+49 9231 97121 0	Telefax: +49 9231 97121 99
e-mail:	info@iris-biotech.de	
Contact person:	Compliance Department	Telephone: +49 9231 97121 0
e-mail:	sds@iris-biotech.de	
Internet:	www.iris-biotech.de	
Responsible Department:	Only available during office hours.	
1.4. Emergency telephone	+49 (0)89 19240 (POISON CENTEI	R Munich: 24 h)

### number:

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories: Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: Causes serious eye irritation. May cause respiratory irritation.

### 2.2. Label elements

### Regulation (EC) No. 1272/2008

Signal word:

Pictograms:





according to Regulation (EC) No 1907/2006

## **Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 2 of 9

## Hazard statements

H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

### Precautionary statements

· · · · · · <b>,</b> · · · · · ·	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container to an approved disposal site.

## Additional advice on labelling

Warning - substance not yet tested completely.

### 2.3. Other hazards

Product is not dust explosive in its original delivery form. The addition of particulate matter, however, results in a dust explosion risk.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## **Chemical characterization**

Buckminsterfullerene C60

Sum formula:	C60
Molecular weight:	720,66 g/mol

### Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification			
99685-96-8	Fullerene C60		<= 100 %	
	628-630-7			
	Eye Irrit. 2, STOT SE 3; H319 H335			

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Medical treatment necessary. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical



according to Regulation (EC) No 1907/2006

## Fullerene C60

Revision date: 30.09.2020

Product code: FLL1000

Page 3 of 9

advice/attention. After contact with skin, wash immediately with plenty of water and soap. In all cases of doubt, or when symptoms persist, seek medical advice.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. alcohol resistant foam. Dry extinguishing powder.

Sand.

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO).

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Usual measures for fire prevention.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation.

In case of fire: Evacuate area.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

### Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically, placing in appropriate containers for disposal. Avoid dust formation. Clear contaminated areas thoroughly.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13



according to Regulation (EC) No 1907/2006

## Fullerene C60

Revision date: 30.09.2020

Product code: FLL1000

Page 4 of 9

Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust. Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep container tightly closed in a cool, well-ventilated place.

Handle and store contents under inert gas. Protect from moisture.

### Hints on joint storage

No special measures are necessary.

## 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls



### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

### Skin protection

Use of protective clothing.



according to Regulation (EC) No 1907/2006

## **Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 5 of 9

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## **Environmental exposure controls**

Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

	cal state:	solid/ Powder	
Colou		brown/ dark grey	
Odou		No data available	
Odou	r threshold:	not determined	
	ges in the physical state		
	g point/freezing point:		> 280 °C
boiling	g point or initial boiling point and g range: nation point:		not determined
	nation point. ning point:		not determined
			> 94 °C
	point:		> 94 C
	<b>nability</b> blid/liquid:		not determined
	as:		not applicable
-	sive properties		
N	o data available		
	r explosion limits:		not determined
Uppe	r explosion limits:		not determined
Auto-	gnition temperature:		not determined
	gnition temperature		
-	olid: as:		not determined not applicable
-	mposition temperature:		not determined
pH-Va			not determined
•	solubility:		not determined
	bility in other solvents		not determined
	oluble in: Toluene, oil, o-DCB		
Partiti	on coefficient n-octanol/water:		not determined
Vapo	ur pressure:		not determined
Densi	ty:		not determined
Relati	ve vapour density:		not determined
<u>9.2. Othe</u>	r information		
Inforr	nation with regard to physical haz	ard classes	
	ining combustion:		No data available
	zing properties		
	o data available		
	safety characteristics		No data available
Solve	nt content:		No data available



## Fullerene C60 Product code: FLL1000

Revision date: 30.09.2020

Solid content:

Evaporation rate:

Further Information

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

## 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous polymerisation: Polymerization will not occur.

### 10.4. Conditions to avoid

Protect from moisture. Keep away from heat.

### 10.5. Incompatible materials

Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO).

### **Further information**

In case of fire: See chapter 5.

### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

No data available

### Acute toxicity

Based on available data, the classification criteria are not met.

### Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### STOT-single exposure

May cause respiratory irritation. (Fullerene C60)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

### Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP]: health hazard properties

Page 6 of 9

not determined not determined



## **Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 7 of 9

## **Practical experience**

No data available

## Further information

RTECS: No data available

Caution! To the best of our knowledge the toxicological properties of this material have not been thoroughly investigated.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.7. Other adverse effects

Warning - substance not yet tested completely.

### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Discharge into the environment must be avoided.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

Handle contaminated packages in the same way as the substance itself.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
Inland waterways transport (ADN)	
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
Marine transport (IMDG)	
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
Air transport (ICAO-TI/IATA-DGR)	
14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No



## **Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 8 of 9

## 14.6. Special precautions for user

No information available.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

## Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 3 - highly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation



according to Regulation (EC) No 1907/2006

## **Fullerene C60**

Revision date: 30.09.2020

Product code: FLL1000

Page 9 of 9

intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Relevant H and EUH statements (number and full text)

H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.