according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dess-Martin-Periodinane

Further trade names

1,1,1-tris(acetyloxy)-1,1-dihydro-1,2-benziodoxol-3-(1H)-one

1,1',1"-(3-oxo-1-lambda5-benzo[d][1,2]iodaoxole-1,1,1(3H)-triyl)tris(ethan-1-one)

1,1,1-Tris(acetyloxy)-1,1-dihydro-1,2-benziodoxol-3-(1H)-one

Substance name:	Dess-Martin-Periodinane
CAS No:	87413-09-0
EC No:	672-328-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical. Manufacture of the substance.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name:	Iris Biotech GmbH	
Street:	Adalbert-Zoellner-Straße 1	
Place:	D-95615 Marktredwitz, Germany	
Post-office box:	568	
	D-95605 Marktredwitz, Germany	
Telephone:	+49 9231 97121 0	Telefax: +49 9231 97121 99
e-mail:	info@iris-biotech.de	
Contact person:	Compliance Department	Telephone: +49 9231 97121 0
e-mail:	sds@iris-biotech.de	
Internet:	www.iris-biotech.de	
Responsible Department:	Only available during office hours.	
1.4. Emergency telephone	+49 (0)89 19240 (POISON CENTER	Munich: 24 h)
number:		

Further Information

Emergency telephone: 24 h (POISON CENTER Munich)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Hazard categories: Oxidising liquid: Ox. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: May intensify fire; oxidiser. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.

2.2. Label elements

GB CLP Regulation

Signal word: Danger



according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 2 of 11





Hazard statements

H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of Water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use Extinguishing powder/ Dry sand to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to an approved disposal site.

Special labelling of certain mixtures

EUH044 Risk of explosion if heated under confinement.

Additional advice on labelling

Warning - substance not yet tested completely.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

1,1,1-tris(acetyloxy)-1,1-dihydro-1,2-benziodoxol-3-(1H)-one

Sum formula:	C13H13IO8
Molecular weight:	424,14 g/mol



according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 3 of 11

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification	·		
87413-09-0	Dess-Martin-Periodinane		<= 100 %	
	672-328-8			
	Ox. Liq. 2, Skin Irrit. 2, Eye Irrit. 2, S	STOT SE 3; H272 H315 H319 H335	EUH044	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Medical treatment necessary. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink 1 glass of of water. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Dry extinguishing powder. Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Hydrogen iodide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.



according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 4 of 11

Additional information

Usual measures for fire prevention.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Remove all sources of ignition. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protection equipment.

In case of fire: Evacuate area.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically, placing in appropriate containers for disposal. Avoid dust formation. Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13 Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust. Provide adequate ventilation.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Further information on handling

Protect from moisture.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place.

Handle and store contents under inert gas. Protect from moisture.

storage temperature: +2°C - +8°C

Hints on joint storage

Keep/Store away from combustible materials.



according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 5 of 11

Further information on storage conditions

Keep under argon. Do not allow contact with air.

Do not allow contact with water.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles. Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Skin protection

Use of protective clothing. Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Environmental exposure controls

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	solid white/ whitish No data available	
Changes in the physical state Melting point/freezing point: Boiling point or initial boiling point and		130 - 133 °C not determined
boiling range: Sublimation point: Softening point:		not determined not determined



according to UK REACH Regulation

De Revision date: 11.03.2020	ess-Martin-Periodinane Product code: RL-1041	Page 6 of 11
Flash point:	No data available	
Flammability Solid/liquid:	not determined	
Gas:	not applicable	
Explosive properties Risk of explosion if heated under confinement.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Self-ignition temperature Solid: Gas:	not determined not applicable	
Decomposition temperature:	not determined	
Oxidizing properties The product is: oxidising.		
pH-Value:	not determined	
Water solubility:	No data available	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	not determined	
Density:	not determined	
Relative vapour density:	not determined	
.2. Other information		
Information with regard to physical hazard class Sustaining combustion:	ses No data available	
Other safety characteristics		
Solvent content:	No data available	
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information		

SECTION 10: Stability and reactivity

10.1. Reactivity

Oxidising.

10.2. Chemical stability

Handle and store contents under inert gas. Protect from moisture. Protect from humidity and water. Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Risk of explosion if heated under confinement. Exothermic reaction with: Combustible substance, Reducing agents, strong.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep away from heat. Handle with care - avoid bumps, friction and impact. Protect from moisture. Do not allow contact with water.



according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 7 of 11

Do not allow contact with air.

10.5. Incompatible materials

Keep/Store away from combustible materials. Reducing agents, strong. flammable substances. Water Strong acid Air.

10.6. Hazardous decomposition products

Resulting from the use of the product: Oxygen. Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Hydrogen iodide

Further information

In case of fire: See chapter 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met. Acute oral toxicity: Following ingestion: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity: Mucosal irritations. Coughing. Dyspnoea

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

STOT-single exposure

May cause respiratory irritation. (Dess-Martin-Periodinane)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP]: health hazard properties

Practical experience

No data available

Further information

RTECS: No data available

Caution! To the best of our knowledge the toxicological properties of this material have not been thoroughly investigated.

according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 8 of 11

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.7. Other adverse effects

Warning - substance not yet tested completely.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1479
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S. (1,1,1-Tris(acetyloxy) -1,1-dihydro-1,2-benziodoxol-3-(1H)-one)
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	III
Hazard label:	5.1
	51
Classification code:	02
Special Provisions:	274
Limited quantity:	5 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	50
Tunnel restriction code:	E



according to UK REACH Regulation

	Dess-Martin-Periodinane	
Revision date: 11.03.2020	Product code: RL-1041	Page 9 of 11
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 1479	
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S. (1,1,1-Tris(acetyloxy) -1,1-dihydro-1,2-benziodoxol-3-(1H)-one)	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	III	
Hazard label:	5.1	
	51	
Classification code:	02	
Special Provisions:	274	
Limited quantity: Excepted quantity:	5 kg	
	E1	
Marine transport (IMDG) <u>14.1. UN number:</u>	UN 1479	
14.1. UN proper shipping name:	OXIDIZING SOLID, N.O.S. (1,1,1-Tris(acetyloxy)	
14.2. On proper snipping name.	-1,1-dihydro-1,2-benziodoxol-3-(1H)-one)	
<u>14.3. Transport hazard class(es):</u>	5.1	
14.4. Packing group:	III	
Hazard label:	5.1	
	51	
Special Provisions:	223, 274, 900	
Limited quantity:	5 kg	
Excepted quantity: EmS:	E1 F-A, S-Q	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	UN 1479	
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S. (1,1,1-Tris(acetyloxy) -1,1-dihydro-1,2-benziodoxol-3-(1H)-one)	
14.3. Transport hazard class(es):	5.1	
14.4. Packing group:	III	
Hazard label:	5.1	
	51	
Special Provisions:	A3 A803	
Limited quantity Passenger:	10 kg	
Passenger LQ: Excepted quantity:	Y546 E1	
IATA-packing instructions - Passenger:	559	
IATA-max. quantity - Passenger:	25 kg	
IATA-packing instructions - Cargo:	563	
IATA-max. quantity - Cargo:	100 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	



according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 10 of 11

14.6. Special precautions for user

Warning: Oxidising substances.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU P8 OXIDISING LIQUIDS AND SOLIDS (SEVESO III): Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Employment restrictions:

Water hazard class (D):

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). 3 - highly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals **UN: United Nations** CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

according to UK REACH Regulation

Dess-Martin-Periodinane

Revision date: 11.03.2020

Product code: RL-1041

Page 11 of 11

intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
EUH044	Risk of explosion if heated under confinement.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.