

according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

T-BEC

Further trade names

 1-tert-Butyl-3-ethylcarbodiimide

 N-tert-butyl-N-ethylmethanediimine

 tert-Butyl[(ethylimino)methylidene]amine

 N-(Ethylcarbonimidoyl)-2-methyl-2-propanamine

 [(tert-Butylimino)methylidene](ethyl)amine

 N-Ethyl-N'-tert-butylcarbodiimide

 tert-Butylethylcarbodiimide

 TBEC

 Substance name:
 1-tert-Butyl-3-ethylcarbodiimide

 CAS No:
 1433-27-8

 EC No:
 626-088-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical. Manufacture of the substance.

Uses advised against

Do not use for private purposes (household). Restrictions on use: Pharmaceutical substance

1.3. Details of the supplier of the safety data sheet

Company name:	Iris Biotech GmbH	
Street:	Adalbert-Zoellner-Straße 1	
Place:	D-95615 Marktredwitz, Germany	
Post-office box:	568	
	D-95605 Marktredwitz, Germany	
Telephone:	+49 9231 97121 0	Telefax: +49 9231 97121 99
E-mail:	info@iris-biotech.de	
Contact person:	Health & Safety Department	Telephone: +49 9231 97121 0
E-mail:	sds@iris-biotech.de	
Internet:	www.iris-biotech.de	
Responsible Department:	Only available during office hours.	
1.4. Emergency telephone	+49 (0)89 19240 (POISON CENTER	Munich: 24 h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 3; H226 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 2 of 12

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of Water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved disposal site.

Additional advice on labelling

Warning - substance not yet tested completely.

Labelling of packages where the contents do not exceed 125 ml

Signal word: W Pictograms:



2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

1-tert-Butyl-3-ethylcarbodiimide	
Sum formula:	C7H14N2
Molecular weight:	126,20 g/mol



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 3 of 12

Relevant ingredients

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
1433-27-8	1-tert-Butyl-3-ethylcarbodiimide		100 %	
	626-088-6			
	Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H226 H315 H319 H335			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. Medical treatment necessary. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO2). Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx). Hydrogen cyanide (hydrocyanic acid) (HCN).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 4 of 12

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Usual measures for fire prevention.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. In case of fire: Evacuate area.

For non-emergency personnel

Cover drains.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

For emergency responders

Cover drains.

Stop and contain spill/release if it can be done safely.

Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Stop and contain spill/release if it can be done safely.

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Universal binder/ Binder

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust. Provide adequate ventilation.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Usual measures for fire prevention.



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 5 of 12

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place.

Handle and store contents under inert gas. Protect from moisture.

storage temperature: +2°C - +8°C

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls



If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin protection

Use of protective clothing.



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 6 of 12

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Environmental exposure controls

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and cher	mical properties
Physical state:	liquid
Colour:	colourless - light yellow
Odour:	No data available
Odour threshold:	not determined
Melting point/freezing point:	not determined
Boiling point or initial boiling point and	137 - 139 °C
boiling range:	
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	33,9 °C
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility:	practically insoluble, decomposition
Solubility in other solvents	
not determined	
Dissolution rate:	not determined
Partition coefficient n-octanol/water:	not determined
Dispersion stability:	not determined
Vapour pressure: (at 23 °C)	0,13 hPa
Density:	not determined
Relative density:	No data available
Bulk density:	not applicable
Relative vapour density: (at 20 °C)	0.814
Particle characteristics:	not applicable
9.2. Other information	
Information with regard to physical haza	ard classes
Explosive properties	
No data available	
Sustaining combustion:	No data available
Self-ignition temperature	
Solid:	not applicable



according to Regulation (EC) No 1907/2006

T-BEC			
Revision date: 23.07.2024	Product code: RL-3910	Page 7 of 12	
Gas: Oxidizing properties No data available	not applicable		
Other safety characteristics			
Evaporation rate:	not determined		
Solvent content:	No data available		
Solid content:	not applicable		
Viscosity / dynamic:	not determined		
Flow time:	not determined		

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable. Violent reaction with: Water, acidic

10.2. Chemical stability

Stable under recommended storage conditions. Decomposes in contact with water.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Protect from moisture. Keep away from heat.

10.5. Incompatible materials

Oxidizing agents, strong. Acids Base. Water

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx).

Further information

In case of fire: See chapter 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 8 of 12

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

STOT-single exposure

May cause respiratory irritation. (1-tert-Butyl-3-ethylcarbodiimide)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Further information

RTECS: No data available

To our knowledge, the chemical, physical and toxicological properties have not been extensively studied. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
1433-27-8	1-tert-Butyl-3-ethylcarbodiimide	2,448

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects


May produce an allergic reaction.

Warning - substance not yet tested completely.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Discharge into the environment must be avoided.

SECTION 13: Disposal considerations





according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 9 of 12

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1. UN number or ID number: UN 1993 14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (1-tert-Butyl-3-ethylcarbodiimide) 14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3 Classification code: F1 **Special Provisions:** 274 601 Limited quantity: 5 L Excepted quantity: E1 Transport category: 3 Hazard No: 30 Tunnel restriction code: D/E Inland waterways transport (ADN) UN 1993 14.1. UN number or ID number: 14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (1-tert-Butyl-3-ethylcarbodiimide) 14.3. Transport hazard class(es): 3 14.4. Packing group: ||| Hazard label: 3 Classification code: F1 Special Provisions: 274 601 Limited quantity: 5 L Excepted quantity: E1 Marine transport (IMDG) UN 1993 14.1. UN number or ID number: 14.2. UN proper shipping name: FLAMMABLE LIQUID, N.O.S. (1-tert-Butyl-3-ethylcarbodiimide) 14.3. Transport hazard class(es): 3 ||| 14.4. Packing group: Hazard label: 3 223 274 955 **Special Provisions:**



Biotech		
Revision date: 23.07.2024	T-BEC Product code: RL-3910	Page 10 of 12
Revision date. 23.07.2024	Product code. RL-3910	Page 10 01 12
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-E, S-E	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1993	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, N.O.S. (1-tert-Butyl-3-ethylcarbodiimide)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label:	3	
Special Provisions:	A3	
Limited quantity Passenger:	10 L	
Passenger LQ:	Y344	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	355	
IATA-max. quantity - Passenger:	60 L 366	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	220 L	
	220 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Warning: Combustible liquid.		
14.7. Maritime transport in bulk according t	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	llations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII): Entry 40		
Directive 2004/42/EC on VOC in paints and varnishes:	100 %	
Information according to Directive 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	
Additional information		
Safety Data Sheet according to Regula	ation (EC) No. 1907/2006 (REACH)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juv work protection guideline' (94/33/EC).	venile
Water hazard class (D):	3 - highly hazardous to water	
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.	
<u>15.2. Chemical safety assessment</u> For this substance a chemical safety a	assessment has not been carried out.	
SECTION 16: Other information		

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,11,12,15.



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 11 of 12

Abbreviations and acronyms

Flam. Lig: Flammable liquid Skin Irrit: Skin irritation Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road). IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations CAS: Chemical Abstracts Service DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide IATA: International Air Transport Association ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) VOC: Volatile Organic Compounds For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text) Flammable liquid and vapour. H226 H315 Causes skin irritation.

H319

H335

Causes serious eye irritation.

May cause respiratory irritation.



according to Regulation (EC) No 1907/2006

T-BEC

Revision date: 23.07.2024

Product code: RL-3910

Page 12 of 12

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.