



according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

N3-Phenylpropionic-OH

Further trade names

3-(4-azidophenyl)propanoic acid 4-Azidobenzenepropanoic acid 3-(p-Azidophenyl)propionic acid 3-(4-Azidophenyl)propionic acid

N3-Phenylpropanoic-OH N3-Benzenepropanoic-OH N3-Benzenepropionic-OH

Substance name: N3-Phenylpropionic-OH

CAS No: 103489-31-2 EC No: 622-482-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical. Manufacture of the substance.

Uses advised against

Do not use for private purposes (household). Restrictions on use: Pharmaceutical substance

1.3. Details of the supplier of the safety data sheet

Company name: Iris Biotech GmbH

Street: Adalbert-Zoellner-Straße 1
Place: D-95615 Marktredwitz, Germany

Post-office box: 568

D-95605 Marktredwitz, Germany

Telephone: +49 9231 97121 0 Telefax: +49 9231 97121 99

e-mail: info@iris-biotech.de

Contact person: Compliance Department Telephone: +49 9231 97121 0

e-mail: sds@iris-biotech.de
Internet: www.iris-biotech.de

Responsible Department: Only available during office hours.

1.4. Emergency telephone +49 (0)89 19240 (POISON CENTER Munich: 24 h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Sol. 1; H228 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008
Signal word: Danger

Revision No: 1,0 M - en Print date: 10.03.2023



according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 2 of 11

Pictograms:





Hazard statements

H228	Flammable solid.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of Water.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to an approved disposal site.

Additional advice on labelling

Warning - substance not yet tested completely.

2.3. Other hazards

Product is not dust explosive in its original delivery form. The addition of particulate matter, however, results in a dust explosion risk.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

3-(4-azidophenyl)propanoic acid

Sum formula: C9H9N3O2
Molecular weight: 191,19 g/mol

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
103489-31-2	N3-Phenylpropionic-OH			
	622-482-7			
	Flam. Sol. 1, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H228 H315 H319 H335			

Full text of H and EUH statements: see section 16.





according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. Medical treatment necessary. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder. Water spray. alcohol resistant foam. Dry extinguishing powder. Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx).

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Usual measures for fire prevention.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation. Avoid dust formation. Do not breathe dust.

Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin, eyes and clothes.





according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 4 of 11

Wear personal protection equipment.

In case of fire: Evacuate area.

For non-emergency personnel

Take up carefully when dry.

For emergency responders

Take up mechanically, placing in appropriate containers for disposal. Take up dust-free and set down dust-free.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal. Take up mechanically.

Other information

Take up mechanically, placing in appropriate containers for disposal. Avoid dust formation.

Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid dust formation. Do not breathe dust. Provide adequate ventilation.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air. Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels


Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place.

Handle and store contents under inert gas. Protect from moisture.

storage temperature: +2°C - +8°C

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.





according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 5 of 11

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid





according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 6 of 11

Colour: white/ whitish/ light yellow

Odour: No data available
Odour threshold: not determined

Melting point/freezing point:

91 - 107 °C

Boiling point or initial boiling point and

not determined

boiling range:

Flammability: Flam. Sol. 1

not applicable

not determined Lower explosion limits: Upper explosion limits: not determined Flash point: No data available Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not applicable Water solubility: No data available

Solubility in other solvents

not determined

Dissolution rate:

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

not determined
not determined
not determined
not determined
not determined
Relative vapour density:

not determined
not determined
not determined
not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Product is not dust explosive in its original delivery form. The addition of particulate matter, however, results

in a dust explosion risk.

Sustaining combustion: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent content:

No data available
Solid content:

not determined
Sublimation point:

not determined
Softening point:

not determined
Viscosity / dynamic:

not applicable
Flow time:

not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

The following applies to flammable, organic substances and mixtures in general: With appropriately fine distribution, when whirled up, a dust explosion potential can generally be assumed.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available



according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 7 of 11

10.4. Conditions to avoid

Protect from moisture.

Keep away from heat.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidizing agents, strong.

Acids

Bases, strong.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx).

Further information

In case of fire: See chapter 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (N3-Phenylpropionic-OH)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008). RTECS: No data available

Caution! To the best of our knowledge the toxicological properties of this material have not been thoroughly investigated. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity





according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 8 of 11

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Warning - substance not yet tested completely.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1325

14.2. UN proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (3-(4-Azidophenyl)propionic

acid)

14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1



Classification code: F1
Special Provisions: 274
Limited quantity: 1 kg
Excepted quantity: E2
Transport category: 2
Hazard No: 40
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1325



according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 9 of 11

14.2. UN proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (3-(4-Azidophenyl)propionic

acid)

14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1



Classification code: F1
Special Provisions: 274
Limited quantity: 1 kg
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1325

14.2. UN proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (3-(4-Azidophenyl)propionic

acid)

14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1



Special Provisions: 274
Limited quantity: 1 kg
Excepted quantity: E2
EmS: F-A, S-G

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1325

14.2. UN proper shipping name: FLAMMABLE SOLID, ORGANIC, N.O.S. (3-(4-Azidophenyl)propionic

acid)

 14.3. Transport hazard class(es):
 4.1

 14.4. Packing group:
 II

 Hazard label:
 4.1



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

5 kg

Y441

Excepted quantity:

E2

IATA-packing instructions - Passenger:445IATA-max. quantity - Passenger:15 kgIATA-packing instructions - Cargo:448IATA-max. quantity - Cargo:50 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Flammable solids.

14.7. Maritime transport in bulk according to IMO instruments

not applicable





according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 10 of 11

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the

'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation

intérieures)

EmS: Emergency Schedules





according to Regulation (EC) No 1907/2006

N3-Phenylpropionic-OH

Revision date: 21.06.2022 Product code: RL-3650 Page 11 of 11

MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H228 Flammable solid.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.