

Safety Data Sheet

according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Diethylether

Further trade names

1,1-Oxydiethane

Diethyl Ether Anhydrous (stabilized with BHT)

Diethylether (Peptide Grade)

Ethoxyethane Ethyl ether 1,1 '-Oxybis-eth

1,1 '-Oxybis-ethane 1,1-Oxybisethane

Substance name: diethyl ether; ether

Abbreviation: Et2O

REACH Registration Number: 01-2119535785-29-XXXX

CAS No: 60-29-7
Index No: 603-022-00-4
EC No: 200-467-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solvent

Laboratory chemical. Manufacture of the substance

Uses advised against

Do not use for private purposes (household). Restrictions on use: Pharmaceutical substance

1.3. Details of the supplier of the safety data sheet

Company name: Iris Biotech GmbH

Street: Adalbert-Zoellner-Straße 1
Place: D-95615 Marktredwitz, Germany

Post-office box: 568

D-95605 Marktredwitz, Germany

Telephone: +49 9231 97121 0 Telefax: +49 9231 97121 99

E-mail: info@iris-biotech.de

Contact person: Compliance Department Telephone: +49 9231 97121 0

E-mail: sds@iris-biotech.de Internet: www.iris-biotech.de

Responsible Department: Only available during office hours.

1.4. Emergency telephone +49 (0)89 19240 (POISON CENTER Munich: 24 h)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 1; H224 Acute Tox. 4; H302 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 2 of 15

Hazard components for labelling

diethyl ether; ether

Signal word: Danger

Pictograms:





Hazard statements

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat. No Smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Special labelling of certain mixtures

EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

Additional advice on labelling

Warning - substance not yet tested completely.

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical characterization

Diethylether

Sum formula: C4H10O Molecular weight: 74,12 g/mol

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
60-29-7	diethyl ether; ether			
	200-467-2	603-022-00-4	01-2119535785-29-XXXX	
	Flam. Liq. 1, Acute Tox. 4, STOT SE 3; H224 H302 H336 EUH019 EUH066			

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 3 of 15

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
60-29-7	200-467-2	diethyl ether; ether	100 %	
	inhalation: LC50 = 32000 mg/l (vapours); dermal: LD50 = > 20000 mg/kg; oral: LD50 = 1600 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap.

After contact with eves

Rinse immediately carefully and thoroughly with eye-bath or water. If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms of poisoning may develop several hours following exposure. Victim should be under medical observation for at least 48 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam. Carbon dioxide (CO2). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Extremely flammable liquid and vapour. Vapours can form explosive mixtures with air. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Usual measures for fire prevention.



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 4 of 15

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Wear personal protection equipment. Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Do not breathe gas/fumes/vapour/spray.

Avoid substance contact.

Provide adequate ventilation.

Keep away from sources of ignition - No smoking.

Evacuate the danger area, observe emergency procedures, consult an expert.

Personal protection equipment: see section 8

For emergency responders

Wear personal protection equipment (refer to section 8).

Cover drains.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Stop and contain spill/release if it can be done safely.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk. Do not allow to enter into surface water or drains. Explosion hazard. Do not allow to enter into soil/subsoil. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Stop and contain spill/release if it can be done safely.

For cleaning up

Universal binder/ Binder

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal.

Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Danger of serious damage to health by prolonged exposure. The substance should only be handled in closed apparatus or systems. Pneumatic conveying only with nitrogen. Handle and open container with care.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 5 of 15

Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Further information on handling

May form explosive peroxides.

Test for peroxide formation periodically and before distillation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not keep the container sealed. Keep in a cool, well-ventilated place. Store in a place accessible by authorized persons only. Protect from moisture. Storage Inert gas: nitrogen Keep cool. Protect from sunlight. Recommended storage temperature: 15 °C - 25 °C

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

Further information on storage conditions

Avoid contact with air / oxygen (formation of peroxide).

Always close containers tightly after the removal of product.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
60-29-7	Diethyl ether	100	310		TWA (8 h)	WEL
		200	620		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
60-29-7	diethyl ether; ether					
Worker DNE	L, long-term	inhalation	systemic	308 mg/m³		
Worker DNEL, acute		inhalation	systemic	616 mg/m³		
Worker DNEL, long-term		dermal	systemic	44 mg/kg bw/day		
Consumer D	NEL, long-term	inhalation	systemic	54,5 mg/m³		
Consumer DNEL, long-term		dermal	systemic	15,6 mg/kg bw/day		
Consumer D	NEL, long-term	oral	systemic	15,6 mg/kg bw/day		



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 6 of 15

PNEC values

CAS No	Substance			
Environmental compartment Value				
60-29-7	diethyl ether; ether			
Freshwater 2 mg/l				
Freshwater (1,65 mg/l			
Marine water		0,2 mg/l		
Freshwater s	9,14 mg/kg			
Marine sediment		0,914 mg/kg		
Micro-organisms in sewage treatment plants (STP) 4,				
Soil	0,66 mg/kg			

Additional advice on limit values

short-term occupational exposure limit value: 616 mg/m3, 200 ml/m3 Long-term occupational exposure limit value: 308 mg/m3, 100 ml/m3

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

8.2. Exposure controls









Appropriate engineering controls

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN



Safety Data Sheet

according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 7 of 15

(EU).

Full-face mask or mouthpiece with particulate filter: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 15 times the exposure limit. P3 filter: up to a max. of

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Environmental exposure controls

Avoid release to the environment. Do not allow to enter into surface water or drains. Explosion hazard! Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless

Odour: sweetish; Odour threshold: 0,3-8,8 ppm

Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

-116,3 °C

35 °C

boiling range:

Flammability: not applicable
Lower explosion limits: 1,7 vol. %
Upper explosion limits: 36 vol. %

Flash point: -40 °C DIN 51755

Auto-ignition temperature: 170 °C
Decomposition temperature: not determined
pH-Value: not determined
Viscosity / kinematic: No data available
Water solubility: 64,9 g/L

(at 20 °C)

Solubility in other solvents

miscible with most organic solvents

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

Vapour pressure:

not determined
log Pow: 0,89
not determined

(at 20 °C)

Vapour pressure: 2.311 hPa

(at 60 °C)

Density (at 20 °C): 0,71 g/cm³
Relative density: No data available
Bulk density: not applicable
Relative vapour density: 2,56 (Air = 1)
Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

May form explosive peroxides.

Sustaining combustion: Sustaining combustion

Self-ignition temperature

Solid: not applicable



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 8 of 15

Gas: not applicable

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: not determined Solvent content: 100,00 % Solid content: not applicable Viscosity / dynamic: 0,233 mPa·s

(at 20 °C)

Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable liquid and vapour.

Peroxide formation possible with air oxygen. Explosion hazard!

10.2. Chemical stability

The product is under normal ambient conditions (room temperature) chemically stable.

Sensitivity to light.

Contains as stabilizer(s):

Butylated hydroxytoluene (BHT): 6 ppm

10.3. Possibility of hazardous reactions

Explosive when mixed with oxidizing substances.

May form explosive peroxides.

Test for peroxide formation periodically and before distillation.

Risk of ignition or formation of inflammable gases or vapors with:

Chromyl chloride.

Peroxides.

Risk of explosion with:

Azides

Halogenes

Halogenes-Halogenic compounds.

Halogenic compounds. Oxidizing agents, strong.

Chromium (VI)-oxide

Peroxides. Perchloric acid.

Perchlorates

Nitric acid

Oxygen

Ozon

Turpentine

Nitrate

halogenated oxygen compounds.

Nitrogen oxides (NOx).

Chlorates

Hydrogen peroxide

sulphuric acid + Nitric acid

Test for peroxide formation periodically and before distillation. Explosion hazard!

Exothermic reaction with:

Acid halides



Safety Data Sheet

according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 9 of 15

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Handle with care - avoid bumps, friction and impact. Explosive. Remove all sources of ignition. Keep away from: Heat. Ignition. This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe). Avoid contact with air / oxygen (formation of peroxide).

Warming.

10.5. Incompatible materials

Protect against: Contact with air/oxygen.

Oxidising agent, strong,

Strong acid. Rubber. plastics

10.6. Hazardous decomposition products

May form explosive peroxides.

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO).

Contact with air/oxygen: Peroxides.

Further information

In case of fire: See chapter 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Harmful if swallowed.

vomiting. Aspiration hazard

Aspiration can lead to pulmonary edema and pneumonia.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
60-29-7	diethyl ether; ether						
	oral	LD50 mg/kg	1600	Rat	Toxicology and applied pharmacology, 197	OECD Guideline 401	
	dermal	LD50 mg/kg	> 20000	Rabbit	Am. Ind. Hyg. Assoc. J., 1962, 23, 95-10	OECD Guideline 402	
	inhalation (4 h) vapour	LC50 mg/l	32000	Rat	Am. Ind. Hyg. Assoc. J., 1962, 23, 95-10	Test animals are exposed to metered vapo	

Irritation and corrosivity



Safety Data Sheet

according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 10 of 15

Based on available data, the classification criteria are not met.

Skin corrosion: Skin - rabbit.

Result: No skin irritation - 4 h

OECD 404

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

Serious eve damage/eve irritation:

Eye contact - Rabbit. Result: No eye irritation OECD 405

OLOD 403

Sensitising effects

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

In-vivo-test - Mouse.

Result: Did not cause sensitization on laboratory animals

OECD 429

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Type of test: micronucleus test Test system: human lymphocytes Metabolic activation: with and without

metabolic activation Method: OECD test guideline 487 Result: negative

Gene-mutations mammalian cells:

mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Methode: OECD 476 Result: negative.

STOT-single exposure

May cause drowsiness or dizziness. (diethyl ether; ether)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Has degreasing effect on the skin.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

inhalative

Specific effects in experiment on an animal

No data available

Additional information on tests

Repeated dose toxicity: Rat: male/ female - oral

13 week(s) Dose at which no harmful effects were observed: 500 mg/kg Repeated dose toxicity - Lowest observed adverse effect level - 2.000 mg/kg

Source: ECHA

Practical experience

Narcotic effects

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Further information

RTECS: KI5775000



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 11 of 15

Following inhalation: The following symptoms may occur: Coughing. Abdominal pain, Respiratory complaints

Dizziness. Dizziness

Following eye contact: Redness. Blurred vision.

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

May cause damage to liver if swallowed. - Practical experience/human evidence.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
60-29-7	diethyl ether; ether						
	Acute fish toxicity	LC50 mg/l	2560	96 h	Pimephales promelas	Acute toxicities of organic chemicals to	other: American Society for Testing and
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50	100 mg/l	48 h			
	Crustacea toxicity	NOEC	100 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	26000		activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

No indication of bioaccumulation potential. (log Pow <= 4).

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
60-29-7	diethyl ether; ether	1,05

BCF

CAS No	Chemical name	BCF	Species	Source
60-29-7	diethyl ether; ether	2	not applicable	Other company data (

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 12 of 15

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

Warning - substance not yet tested completely.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Consult the appropriate local waste disposal expert about waste disposal.

Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1155

14.2. UN proper shipping name: DIETHYL ETHER (ETHYL ETHER)

14.3. Transport hazard class(es):314.4. Packing group:IHazard label:3



Classification code: F1
Limited quantity: 0
Excepted quantity: E3
Transport category: 1
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1155

14.2. UN proper shipping name: DIETHYL ETHER (ETHYL ETHER)

 14.3. Transport hazard class(es):
 3

 14.4. Packing group:
 I

 Hazard label:
 3



Classification code: F1
Limited quantity: 0
Excepted quantity: E3

Marine transport (IMDG)

14.1. UN number or ID number: UN 1155

14.2. UN proper shipping name: DIETHYL ETHER (ETHYL ETHER)



Safety Data Sheet

according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 13 of 15

14.3. Transport hazard class(es):314.4. Packing group:IHazard label:3



Special Provisions:

Limited quantity:

Excepted quantity:

E3

EmS:

F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1155

14.2. UN proper shipping name: DIETHYL ETHER

14.3. Transport hazard class(es):314.4. Packing group:IHazard label:3



Limited quantity Passenger: Forbidden Passenger LQ: Forbidden

Excepted quantity: E3

IATA-packing instructions - Passenger: 351
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 361
IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Hazchem code: •3YE

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40

2010/75/EU (VOC): 100 % (710 g/l) 2004/42/EC (VOC): 100 % (710 g/l)

Information according to 2012/18/EU P5a FLAMMABLE LIQUIDS

(SEVESO III):

Additional information

Use restriction according to REACH annex XVII, no.: 3, 40

Regulation (EC) No. 2093/97

National regulatory information



Safety Data Sheet

according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 14 of 15

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

Additional information

Drug precursor: Cat. 3

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.



according to UK REACH Regulation

Diethylether

Revision date: 11.10.2023 Product code: SOL-005 Page 15 of 15

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Flam. Liq: Flammable liquids Acute Tox: Acute toxicity

STOT SE: Specific target organ toxicity - single exposure

Relevant H and EUH statements (number and full text)

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed.

H336 May cause drowsiness or dizziness. EUH019 May form explosive peroxides.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.