

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

DMSO/EtOAc (2 : 8)

Further trade names

Ethyl acetate/ Dimethyl sulfoxide 80/20 (v/v)

Ethyl acetate/ DMSO 80/20

UFI: W2Q2-P0GV-U006-EAQQ

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemical. Manufacture of the substance.

Solvent

Uses advised against

Do not use for private purposes (household).

Restrictions on use: Pharmaceutical substance

1.3. Details of the supplier of the safety data sheet

Company name:	Iris Biotech GmbH	
Street:	Adalbert-Zoellner-Straße 1	
Place:	D-95615 Marktrechwitz, Germany	
Telephone:	+49 9231 97121 0	Telefax: +49 9231 97121 99
E-mail:	info@iris-biotech.de	
Contact person:	Health & Safety Department	Telephone: +49 9231 97121 0
E-mail:	sds@iris-biotech.de	
Internet:	www.iris-biotech.de	
Responsible Department:	Only available during office hours.	

1.4. Emergency telephone number: +49 (0)89 19240 (POISON CENTER Munich: 24 h)**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Flam. Liq. 2; H225

Eye Irrit. 2; H319

STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

ethyl acetate

Signal word: Danger**Pictograms:****Hazard statements**

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 2 of 14

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved disposal site.


Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

Additional advice on labelling

Mixture not tested.

Labelling of packages where the contents do not exceed 125 ml
Signal word: Danger

Pictograms:

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients
3.2. Mixtures
Chemical characterization

Ethyl acetate/ Dimethyl sulfoxide 80/20 (v/v)

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
141-78-6	ethyl acetate			80 - < 85 %
	205-500-4	607-022-00-5		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
141-78-6	205-500-4	ethyl acetate	80 - < 85 %
	dermal: LD50 = > 20000 mg/kg; oral: LD50 = 4934 mg/kg		

SECTION 4: First aid measures
4.1. Description of first aid measures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 3 of 14

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. alcohol resistant foam. Dry extinguishing powder. Carbon dioxide (CO₂). Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO₂). Carbon monoxide (CO). Sulfur oxides.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Take precautionary measures against static discharges.

Usual measures for fire prevention.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray.

Avoid contact with skin, eyes and clothes.

Wear personal protection equipment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 4 of 14

In case of fire: Evacuate area.

For non-emergency personnel

Do not breathe gas/fumes/vapour/spray.
Avoid substance contact.
Provide adequate ventilation.
Keep away from sources of ignition - No smoking.
Evacuate the danger area, observe emergency procedures, consult an expert.
Personal protection equipment: see section 8

For emergency responders

Wear personal protection equipment (refer to section 8).
Cover drains.
Make sure spills can be contained, e.g. in sump pallets or kerbed areas.
Stop and contain spill/release if it can be done safely.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.
Do not allow to enter into soil/subsoil.
Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**For containment**

Cover drains.
Stop and contain spill/release if it can be done safely.

For cleaning up

Universal binder/ Binder
Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal.
Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.
Vapours can form explosive mixtures with air.
Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.
When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 5 of 14

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed in a cool, well-ventilated place.

Handle and store contents under inert gas. Protect from moisture.
 storage temperature: room temperature

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. No special measures are necessary.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
141-78-6	Ethyl acetate	200	734		TWA (8 h)	
		400	1468		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
141-78-6	ethyl acetate			
	Worker DNEL, long-term	inhalation	systemic	734 mg/m ³
	Worker DNEL, acute	inhalation	systemic	1468 mg/m ³
	Worker DNEL, long-term	inhalation	local	734 mg/m ³
	Worker DNEL, acute	inhalation	local	1468 mg/m ³
	Worker DNEL, long-term	dermal	systemic	63 mg/kg bw/day
	Consumer DNEL, long-term	inhalation	systemic	367 mg/m ³
	Consumer DNEL, acute	inhalation	systemic	734 mg/m ³
	Consumer DNEL, long-term	inhalation	local	367 mg/m ³
	Consumer DNEL, acute	inhalation	local	734 mg/m ³
	Consumer DNEL, long-term	dermal	systemic	37 mg/kg bw/day
	Consumer DNEL, long-term	oral	systemic	4,5 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 6 of 14

PNEC values

CAS No	Name of agent	
	Environmental compartment	Value
141-78-6	ethyl acetate	
	Freshwater	0,24 mg/l
	Freshwater (intermittent releases)	1,65 mg/l
	Marine water	0,024 mg/l
	Freshwater sediment	1,15 mg/kg
	Marine sediment	0,115 mg/kg
	Secondary poisoning	200 mg/kg
	Micro-organisms in sewage treatment plants (STP)	650 mg/l
	Soil	0,148 mg/kg

8.2. Exposure controls

Appropriate engineering controls

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Individual protection measures, such as personal protective equipment
Eye/face protection

Suitable eye protection: goggles.

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 7 of 14

Environmental exposure controls

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	characteristic
Odour threshold:	not determined

		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	77-78 °C	ethyl acetate
Flammability:	Highly flammable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Flash point:	-4 °C	ethyl acetate
Auto-ignition temperature:	300-302 °C	Dimethyl sulfoxide
Decomposition temperature:	not determined	
pH-Value:	not applicable	
Viscosity / kinematic:	not determined	
Water solubility:	soluble	
Solubility in other solvents	not determined	
Dissolution rate:	not determined	
Partition coefficient n-octanol/water:	not determined	
Dispersion stability:	not determined	
Vapour pressure:	not determined	
Density (at 20 °C):	0,96 g/cm ³	
Relative density:	No data available	
Bulk density:	not applicable	
Relative vapour density:	not determined	
Particle characteristics:	not applicable	

9.2. Other information
Information with regard to physical hazard classes
Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Sustained combustibility:

Sustained combustibility

Self-ignition temperature

Solid:

not applicable

Gas:

not applicable

Oxidizing properties

No data available

Other safety characteristics

Solvent content:	100,00 %
Solid content:	0 %
Viscosity / dynamic:	not determined
Flow time:	not determined

SECTION 10: Stability and reactivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 8 of 14

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Protect from moisture.

Keep away from heat.

10.5. Incompatible materials

Oxidizing agents, strong.

Halogenic compounds.

Strong acid

Reducing agent

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

 In case of fire may be liberated: Carbon dioxide (CO₂). Carbon monoxide (CO). Sulfur oxides.

Further information

In case of fire: See chapter 5.

SECTION 11: Toxicological information
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
Toxicokinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
141-78-6	ethyl acetate				
	oral	LD50 4934 mg/kg	Rabbit	Ind. Med. Vol. 41, No.4, 31 - 33 (1972)	OECD Guideline 401
	dermal	LD50 > 20000 mg/kg	Rabbit	Am Ind Hyg Ass J, 23, 95 (1962)	Similar to one day cuff method of Draize

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 9 of 14

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

STOT-single exposure

May cause drowsiness or dizziness. (ethyl acetate)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Practical experience

No data available

11.2. Information on other hazards
Endocrine disrupting properties

No data available

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Further information

RTECS: No data available

Caution! To the best of our knowledge the toxicological properties of this material have not been thoroughly investigated. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information
12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
141-78-6	ethyl acetate					
	Acute fish toxicity	LC50 230 mg/l	96 h	Pimephales promelas	Publication (1984)	other: US EPA method E03-05
	Fish toxicity	NOEC < 9,65 mg/l	32 d	Pimephales promelas	http://www.epa.gov/ecotox (1992)	OECD Guideline 210
	Crustacea toxicity	NOEC 2,4 mg/l	21 d	Daphnia magna	Water Research 23: 501-510. (1989)	other: see principles of method below

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-78-6	ethyl acetate	0,68

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 10 of 14

BCF

CAS No	Chemical name	BCF	Species	Source
141-78-6	ethyl acetate	30	Leuciscus idus melanotus	Chemosphere 14, 1589

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.
 The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Mixture not tested.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations
13.1. Waste treatment methods
Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.
 Consult the appropriate local waste disposal expert about waste disposal.
 Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information
Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1173
14.2. UN proper shipping name:	ETHYL ACETATE, Mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3



Classification code:	F1
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 1173
14.2. UN proper shipping name:	ETHYL ACETATE, mixture
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 11 of 14



Classification code: F1
 Limited quantity: 1 L
 Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1173
14.2. UN proper shipping name: ETHYL ACETATE, mixture
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1173
14.2. UN proper shipping name: ETHYL ACETATE, mixture
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Limited quantity Passenger: 1 L
 Passenger LQ: Y341
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 353
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 364
 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid. No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 100 %

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 12 of 14

Directive 2004/42/EC on VOC in
paints and varnishes: 100 %Information according to Directive
2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS**Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory informationEmployment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile
work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 13 of 14

Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2
Eye Irrit. 2: Eye irritation, hazard category 2
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road).
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>
EC/EEC: European Community/European Economic Community
EU: European Union
M-factor: Multiplying factor
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IATA: International Air Transport Association
DGR: Dangerous Goods Regulations
ICAO: International Civil Aviation Organization
TI: Technical Instructions
VOC: volatile organic compound
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Safety Data Sheet

according to Regulation (EC) No 1907/2006

DMSO/EtOAc (2 : 8)

Revision: 04.08.2025

Product code: SOL-021

Page 14 of 14

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method
STOT SE 3; H336	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)