according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Revision date: 24.07.2024

Product code: WAA11322

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fmoc-L-Pro-Wang Resin

Further trade names

Fmoc-L-Proline-Wang Resin Fmoc-Pro-Wang Resin Fmoc-Proline-Wang Resin

Substance name:

Fmoc-L-Pro-Wang Resin

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemical. Manufacture of the substance.

Uses advised against

Do not use for private purposes (household). Restrictions on use: Pharmaceutical substance

1.3. Details of the supplier of the safety data sheet

Company name:	Iris Biotech GmbH	
Street:	Adalbert-Zoellner-Straße 1	
Place:	D-95615 Marktredwitz, Germany	
Post-office box:	568	
	D-95605 Marktredwitz, Germany	
Telephone:	+49 9231 97121 0	Telefax: +49 9231 97121 99
E-mail:	info@iris-biotech.de	
Contact person:	Health & Safety Department	Telephone: +49 9231 97121 0
E-mail:	sds@iris-biotech.de	
Internet:	www.iris-biotech.de	
Responsible Department:	Only available during office hours.	
1.4. Emergency telephone	+49 (0)89 19240 (POISON CENTER Munich: 24 h)	
number		

number:

Further Information

The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Voluntary safety information following the Safety Data Sheet format according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This substance is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Precautionary statements

P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P262	Do not get in eyes, on skin, or on clothing.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.

Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none (GHS/CLP criteria are not met.)



according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Revision date: 24.07.2024

Product code: WAA11322

Page 2 of 9

Warning - substance not yet tested completely.

2.3. Other hazards

Product is not dust explosive in its original delivery form. The addition of particulate matter, however, results in a dust explosion risk.

SECTION 3: Composition/information on ingredients

3.1. Substances

Molecular weight:

100 - 200 Mesh

Relevant ingredients

none (according to UK REACH Regulation)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Provide fresh air. Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray. alcohol resistant foam. Dry extinguishing powder. Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Revision date: 24.07.2024

Product code: WAA11322

Page 3 of 9

Additional information

Usual measures for fire prevention.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. In case of fire: Evacuate area.

For non-emergency personnel

Remove all sources of ignition. Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8). Take up mechanically, placing in appropriate containers for disposal. Take up dust-free and set down dust-free.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Avoid dust formation.

For cleaning up

Take up mechanically.

Other information

Take up mechanically, placing in appropriate containers for disposal. Avoid dust formation. Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Handle and store contents under inert gas. Protect from moisture.

according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Revision date: 24.07.2024

Product code: WAA11322

Page 4 of 9

storage temperature: +2°C - 8°C

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls

Appropriate engineering controls

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Tightly fitting safety goggles. Face shield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves.

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available

Environmental exposure controls

Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

solid



according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Fmoc-L-Pro-Wang Resin				
Revision date: 24.07.2024	Product code: WAA11322	Page 5 of 9		
Colour:	white/ whitish / red / brown			
Odour:	No data available			
Odour threshold:	No data available			
Melting point/freezing point:	No data available			
Boiling point or initial boiling point and	No data available			
boiling range:				
Flammability:	not determined			
Lower explosion limits:	No data available			
Upper explosion limits:	No data available			
Flash point:	No data available			
Auto-ignition temperature:	No data available			
Decomposition temperature:	No data available			
pH-Value:	No data available			
Viscosity / kinematic:	not applicable			
Water solubility:	No data available			
Solubility in other solvents				
not determined				
Dissolution rate:	No data available			
Partition coefficient n-octanol/water:	No data available			
Dispersion stability:	No data available			
Vapour pressure:	No data available			
Density:	No data available			
Relative density:	No data available			
Bulk density:	No data available			
Relative vapour density:	No data available			
Particle characteristics:	No data available			
9.2. Other information				
Information with regard to physical ha	zard classes			
Explosive properties				
Product is not dust explosive in its or	iginal delivery form. The addition of particulate matter, however, res	ults in		
a dust explosion risk.				
Sustaining combustion:	No data available			
Self-ignition temperature				
Solid:	No data available			
Gas:	not applicable			
Oxidizing properties				
No data available				
Other safety characteristics				
Solvent content:	No data available			

Viscosity / dynamic: Flow time:

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Protect from moisture.

not applicable

not applicable



according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Revision date: 24.07.2024

Product code: WAA11322

Page 6 of 9

Keep away from heat. 10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen oxides (NOx).

Further information

In case of fire: See chapter 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No data available

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No data available

Specific effects in experiment on an animal

No data available

Additional information on tests

The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Further information

RTECS: No data available

To our knowledge, the chemical, physical and toxicological properties have not been extensively studied. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.



according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Revision date: 24.07.2024

Product code: WAA11322

Page 7 of 9

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

Warning - substance not yet tested completely.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Handle contaminated packages in the same way as the substance itself.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
Inland waterways transport (ADN) 14.2. UN proper shipping name:	No dangerous good in sense of these transport regulations.
Marine transport (IMDG) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
Air transport (ICAO-TI/IATA-DGR) <u>14.2. UN proper shipping name:</u>	No dangerous good in sense of these transport regulations.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user No information available.	
14.7. Maritime transport in bulk according t	o IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



according to UK REACH Regulation

	Biotech	according to UK REACH Regulation	
		Fmoc-L-Pro-Wang Resin	
Revision date	: 24.07.2024	Product code: WAA11322	Page 8 of 9
			5
EU regula	tory information		
	n according to Directive	Not subject to 2012/18/EU (SEVESO III)	
	U (SEVESO III):		
Additional	l information		
Safety	Data Sheet according to R	egulation (EC) No. 1907/2006 (REACH)	
National re	egulatory information		
Water haz	ard class (D):	3 - highly hazardous to water	
15.2. Chemica	al safety assessment		
		ety assessment has not been carried out.	
SECTION 16	6: Other information		
Abbreviati	ions and acronyms		
		nternational des marchandises dangereuses par route	
	-	ational Carriage of Dangerous Goods by Road).	
	International Maritime Cod		
IATA: I	International Air Transport A	Association	
GHS: (Globally Harmonized System	m of Classification and Labelling of Chemicals	
EINEC	S: European Inventory of E	Existing Commercial Chemical Substances	
	S: European List of Notified		
	Chemical Abstracts Service		
	Lethal concentration, 50%		
	Lethal dose, 50%		
	Classification, labelling and		
		and Authorization of Chemicals	
		m of Classification, Labelling and Packaging of Chemicals	
	nited Nations Chemical Abstracts Service		
	Derived No Effect Level		
	: Derived Minimal Effect Level		
	: Predicted No Effect Conce		
	Acute toxicity estimate		
	Lethal loading, 50%		
EL50:	Effect loading, 50%		
	Effective Concentration 50	%	
ErC50	: Effective Concentration 50	0%, growth rate	
NOEC	: No Observed Effect Conce	entration	
BCF: E	Bio-concentration factor		
	persistent, bioaccumulative,		
	very persistent, very bioacc		
		international carriage of dangerous goods by rail	
		erning the International Carriage of Dangerous Goods by Inland Waterways	
•		port international des marchandises dangereuses par voies de navigation	
intérieu	,		
	Emergency Schedules		
MFAG	: Medical First Aid Guide		

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu



according to UK REACH Regulation

Fmoc-L-Pro-Wang Resin

Product code: WAA11322

Page 9 of 9

Revision date: 24.07.2024

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.